# **DRUGS TO AVOID - MAP**

The following is **a partial list of drugs** which have been known by actual experience to be hazardous in sobriety. We recommend that you give a copy of this list to your physician for your records. You keep the original. Prior to taking any new medication prescribed by your physician, you are required to check with your COMPLIANCE OFFICER to make certain it is appropriate.

**Medicines for sleep:** Ambien, Lunesta, Dalmane, Restoril, Halcion, Nembutal, Seconal, Doriden, Placidyl, Chloral Hydrate, Tuinal, Sleepeze, Sominex, Unisom, Tylenol PM, Diphenhydramine.

Narcotics: codeine (Tylenol #2, 3, 4 or Empirin #2, 3, 4), Morphine, Dilaudid, Demerol, Stadol, Nubain, Talwin, Darvon, Darvocet, Percodan, Percocet, Vicodin, Tylox, Norco, dolophine, duragesic, MS Contin, Oxycontin, propoxyphene, Roxanol, Ultiva, Hydrocodone, Ultram/Tramadol, Nucynta/Tapentadol, Fentynal, or any of the synthetic derivatives of opioids/narcotics, Methadone, Suboxone, Subutex,

**Tranquilizers, Sedatives, Hypnotics, Barbiturates:** meprobamate (Miltown, Equanil), Butalbital, Phenobarbital, Tuinal, Seconal, and Benzodiazepines (Valium, Librium, Serax, Xanax, Ativan, Tranxene, Klonapin etc.). The Benzodiazepines are particularly hazardous because of their wide usage, easy availability, and high addiction potential.

**Stimulants:** cocaine, amphetamines, Ritalin, Adderall, Concerta, Vyvanse, Ephedra, Phentermine/Adipex and all stimulants, weight control and diet aids.

**Over-the-counter medications:** These are a frequent cause of relapse. Beware of OTC medications in general. Some, including cough and cold medicines, may be 30-40 proof and contain alcohol (i.e. Nyquil, any medication containing dextromethorphan, herbal suppliments with sedative effects.

**Mouthwash/Dental Hygiene**, Dr. Tichner's, :Listerine, Mouthwashes containing alcohol

**Alcohol** (liquor, beer, wine, cough medicines, etc.). Food items where the full alcohol content has not been cooked out, extracts. "Elixir" contains alcohol.-cooking wine

**Antihistamines:** This will mean avoidance of all remedies *containing decongestants such as pseudoephedrine* (or drugs having a mood altering effect) for coughs, colds, hay fever, sinus trouble, and related conditions. (Examples: Contact, Dristan, Novahistine, Dramamine, Benadryl, Vistaril and Atarax, Chlor-Trimeton, Dimetane, sudafed hydroxyzine, Periactin, Tavist,)

Muscle Relaxants: Flexeril, Norflex, Soma, Norgesic, Robaxisal, Parafon Fort

### **Gastrointestinal Issues:**

Lomotil, GI Cocktails containing phenobarbitol or atrophines

#### Others:

Phenergan
Benadryl (anything OTC with "PM" in its name)
Sudafed (any drug with"-D" after its name)
Spice, Bath Salts, Marijuana, Hashish
Any Illegal or Mood Altering Herbal Products or Medications
Phencyclidines – PCP and related drugs.

**Inhalants** – Solvents such as gasoline and paint thinners. Amyl and butyl nitrite. Nitrous oxide.

Remember, if it makes you feel different, it could be mood altering. Avoid it! If you don't know what is in a prescribed drug, ask your doctor or pharmacist. Ask before you take it, not after!

Prior to ingesting any new drug prescribed to you, you must speak with TO your Compliance Officer.

Marianne Wynn 601-957-6287 <u>mwynn@msbn.ms.gov</u>

Vera Rucker 601-957-6277 vrucker@msbn.ms.gov

#### THE FOLLOWING ARE PERMISSIBLE TO TAKE

## Head Congestion/Allergy/Itching

Claritin, Allegra , Zyrtec, nasonex

Colds-Echinacea, Zinc, Fluids, rest,

Cough-Robitussin (not DM, only guaifenesin), Mucinex, Tessalon Perles

Non-alcohol cough syrup

Sore Throat-Cepacol or Sucrets Lozenges, Hall's mentholyptus

Nausea/Vomiting-Emetrol, Zophran

Diarrhea-Kaopectate, Pepto-Bismol, Imodium Complete Tablets

Constipation-Milk of Magnesia, Colace, Pericolace, Metamucil, Perdiem

Correctol, Ex-Lax

**Indigestion/Heartburn/Gastritis-**Mylanta, Maalox, Riopan, Tums, Rolaids, H2 blockers, proton pump inhibitors

**Headache/Arthritis/Pain-**Aspirin, Advil, Nuprin, Tylenol, Motrin, Naprosyn, Disalcid, Feldene, Aleve, Toradol, NSAIDs, BC Powder or Goodies, Imitrex, Zomig (non-mood altering migraine medications)

**Infection-**All antibiotics

Sleep: Melatonin, Rozerem, trazadone

Antidepressants: All SSRI/SNRI antidepressants, Deplin, Buspar

ADD/ADHD-Strattera, Wellbutrin

(This is not a comprehensive list; any drugs must be reviewed by your compliance officer-please call to clarify BEFORE taking the medication. It is your responsibility to be accountable for medications you ingest. If a medical necessity requires the use of a drug that is not approved, you are responsible for notifying the Board of Nursing immediately.)